# Zap2it<sup>™</sup> Data Direct XTVD Schema Definition Version 1.3

Tribune Media Services Proprietary and Confidential April 12, 2004

#### © 2004 Zap2it.com/Tribune Media Services, Inc. All rights reserved.

This document may not be duplicated, copied or transferred in any way without prior written permission of Tribune Media Services.

#### **Confidentiality Statement**

Information in this document is confidential. It may not be used for any purpose except for TMS customers to develop products, as outlined in the Tribune Media Services Subscription Agreement.

# **Table of Contents**

1	Overview	v	4
2	Glossary		4
3	XTVD E	lement Relationships	4
4	XTVD D	Pata Definitions	5
5	Appendix	Κ	13
	5.1 Line	eups	13
	5.1.1	xtvd/lineups/lineup/@device	13
	5.1.2	xtvd/lineups/lineup/@type	
	5.2 Scho	edules	14
	5.2.1	xtvd/schedules/schedule/@tvRating	14
	5.2.2	xtvd/schedules/schedule/part/@number	14
	5.2.3	xtvd/schedules/schedule/part/@total	14
	5.3 Prog	grams	14
	5.3.1	xtvd/programs/program/mpaaRating	14
	5.3.2	xtvd/programs/program/starRating	14
	5.3.3	xtvd/programs/program/showType	15
	5.3.4	xtvd/programs/program/colorCode	15
	5.3.5	xtvd/programs/program/advisories/advisory	15
	5.4 Prod	luction Crew	16
	5.4.1	xtvd/productionCrew/crew/member/role	16
	5.5 Gen	res	16
	5.5.1	xtvd/genres/genre/class	16
	5.5.2	xtvd/genres/genre/relevance	21

#### 1 Overview

The purpose of this document is to describe the TMS standard Extensible TV Data (XTVD) schema and its relation to the TV Schedules and Channel Lineups data. Also, refer to the following files for more details regarding this schema:


- XTVD schema tmsxtvd.xsd (version 1.2)
- Common data-types schema tmsxg.xsd
- Sample XTVD file with data gold\_sample.xml

### 2 Glossary

- Extensible TV Data schema (XTVD) a document in XML format that contains station, lineup, schedule, program, genre and advisory information customized to a specific user's preferences.
- All dates and times are specified in UTC.
- Date Time format ISO 8601 pattern for date+time information: YYYY-MM-DDThh:mm:ssZ.
- Date format ISO 8601 pattern for date: YYYY-MM-DD.
- Time format ISO 8601 pattern for time of day: hh:mm:ss.

### 3 XTVD Element Relationships

The diagram below illustrates the relationships between the elements of the XTVD schema.



# 4 XTVD Data Definitions

<b>Data Location</b>	Value	Definition
XTVD Document	-	
xtvd/@from	YYYY-MM- DDThh:mm:ssZ	Starting date/time of the document in UTC as specified in the request. All schedule records will have an airtime greater than or equal to this value.
xtvd/@to	YYYY-MM- DDThh:mm:ssZ	Ending date/time of the document in UTC as specified in the request. All schedule records will have an airtime less than or equal to this value.
xtvd/@schemaVersion	n.n (e.g. 1.1)	Current version of the XTVD schema.
Stations – collection of user selected station ele		f a station appears on
more than one lineup, it will only be displayed	once here.	
xtvd/stations/station/@id	Field length minimum 1, maximum 12 (e.g. 11259)	Unique station id number. Only unique selected stations for a user will be displayed.
xtvd/stations/station/callSign	Field length minimum 1, maximum 10 (e.g. HBO, WABC, WBBM-DT)	Mnemonic or FCC-recognized call sign for long name of a station. Digital stations will carry the suffix of "DT".
xtvd/stations/station/name	Field length maximum 40 (e.g. Home Box Office, WABC-TV)	Long name of a station.
xtvd/stations/station/affiliate	Field length maximum 25 (e.g. PAY, ABC Affiliate)	Optional. Network, cable or broadcasting group with which a station is associated.
xtvd/stations/station/fccChannelNumber	Field length maximum 8 (e.g. 4, 7, 9)	Optional. FCC channel number of a broadcast station.
Lineups – collection of lineups selected by the user that associates stations to channels.		
xtvd/lineups/lineup/@name	Field length	Name of the lineup's

<b>Data Location</b>	Value	Definition
	maximum 42 (e.g.	headend the user
	Comcast Cable)	selected.
xtvd/lineups/lineup/@location	Field length	Community where the
	maximum 28. See	lineup's physical
	appendix for list of	equipment is located.
10: 10: 10: 10: 10: 10: 10: 10: 10: 10:	values.	
xtvd/lineups/lineup/@device	Field length	Optional. The default
	maximum 30. See	device will not have a value in this field. For
	appendix for list of values.	instance, a standard
	values.	cable lineup will be
		blank.
xtvd/lineups/lineup/@type	Field length	The type of lineup the
Act a micaps, micap, with pe	maximum 20. See	user selected.
	appendix for list of	
	values.	
xtvd/lineups/lineup/@postalCode	Field length	Optional. Zip or postal
	maximum 6 (e.g.	code associated with
	90210, M1M1M1)	this lineup.
xtvd/lineups/lineup/@id	Field length	Unique identifier of the
	maximum 12 (e.g.	lineup.
	IL53277:X).	
xtvd/lineups/lineup/map/@station	Field length	Unique station id
	minimum 1,	number. Only unique
	maximum 12 (e.g.	selected stations for a
xtvd/lineups/lineup/map/@channel	11259) Field length	user will be displayed.
xtvd/inieups/inieup/map/@channel	Field length maximum 5 (e.g. 081,	Physical location of a station or a cable
	1013, G5-13)	network on a lineup. If
	1015, 05-15)	this field is blank, it is
		channel 000.
xtvd/lineups/lineup/map/@channelMinor	Field length	The major channel (the
in the state of th	maximum 3 (e.g. 1, 2,	channel attribute)
	3, 4, 5, 6)	number is used to
	, , ,	group all services
		associated with a
		broadcaster's NTSC
		brand, for example
		Channel 4. The minor
		channel number
		specifies a particular
		channel within that
		group. Zero (0) is
		reserved for the NTSC
		channel; all other

<b>Data Location</b>	Value	Definition
		values (1-999) are
		allowed for digital
		services. One common
		approach is to start
		with 1 and to continue
		numerically for
		different programming
		services.
xtvd/lineups/lineup/map/@from	Field length	Optional. The date
	maximum 8 (format	from which the station
	YYYY-MM-DD)	is effective on this
	ŕ	lineup.
xtvd/lineups/lineup/map/@to	Field length	Optional. The date
	maximum 8 (format	from which the station
	YYYY-MM-DD)	has expired on this
		lineup.
xtvd/lineups/lineup/map/onAir/ @from	Not currently being	Optional. For channels
	distributed (format	that are only on a
	hh:mm:ss).	lineup for a partial day.
xtvd/lineups/lineup/map/onAir/ @to	Not currently being	Optional. For channels
	distributed (format	that are only on a
	hh:mm:ss).	lineup for a partial day.
Schedules – contains all schedule records across a		
xtvd/schedules/schedule/@program	Field length	Unique description
	minimum 12,	identifier necessary to
	maximum 12 (e.g.	reference movies,
	MV1234560000,	shows, episodes, sports
	SH0123450000)	from the programs
		data. First two digits
		are alphanumeric and
		correspond to movies
		(MV), shows (SH),
		episodes (EP) and
		sports (SP).
		F 1 1 ' '
		For shows beginning
		with EP, the next 6
		digits represent the
		series ID, with the last
		4 digits representing
		the episode id. If
		episode information is
		not available, the
		program will appear as
		type SH, the next 6

<b>Data Location</b>	Value	Definition
		digits as the series id and the last 4 digits as zeros.
xtvd/schedules/schedule@station	Field length minimum 1, maximum 12 (e.g. 11259)	Unique station id number. Only unique selected stations for a user will be displayed.
xtvd/schedules/schedule@time	Format YYYY-MM-DDThh:mm:ssZ	UTC date and time of day the program airs.
xtvd/schedules/schedule@duration	Format PThhHmmM	The duration of the program.
xtvd/schedules/schedule/@repeat	Field length maximum 4 (e.g. true)	Optional. Designates a program which has aired previously. Set to 'True' if it is a repeat. Otherwise, this will not be displayed.
xtvd/schedules/schedule/@stereo	Field length maximum 4 (e.g. true)	Optional. Designates a program which is being broadcast in stereo. Set to 'True' if it is being broadcast in stereo. Otherwise, this will not be displayed.
xtvd/schedules/schedule/@subtitled	Field length maximum 4 (e.g. true)	Optional. Used for foreign movies and shows, if the audio is in a foreign language, the English translation appears on-screen Set to 'True' if it is subtitled. Otherwise, this will not be displayed.
xtvd/schedules/schedule/@hdtv	Field length maximum 4 (e.g. true)	Optional. Designates a program being broadcast in High Definition TV. Set to 'True' if it is being broadcast in HDTV. Otherwise, this will not be displayed.
xtvd/schedules/schedule/@closeCaptioned	Field length maximum 4 (e.g. true)	Optional. Designates a program which is being closed-captioned. Set

Data Location	Value	Definition
		to 'True' if it is being
		closed-captioned.
		Otherwise, this will not
		be displayed.
xtvd/schedules/schedule/@tvRating	Field length	Optional. TV Parental
	maximum 5. See	Guidelines in text
	appendix for list of values.	form.
xtvd/schedules/schedule/part/@number	Field length	Optional. Designates
nev as some dates, some date, para contamo	maximum 2. See	which part, when a
	appendix for list of	program is split into
	values.	two or more viewings.
	, and the second	Only will display if
		there is more than one
		part for a program.
		For flexibility, this is at
		the schedule level
		rather than the program
		level. Each part may
		have its own unique
		program id with different episodic
		details. In some cases
		(e.g. a movie being
		shown in two parts),
		the program id may be
		the same.
xtvd/schedules/schedule/part/@total	Field length	Optional. Total
neva somedares, somedare, para este an	maximum 2. See	number pf parts when a
	appendix for list of	program is split into
	values.	two or more viewing
		parts. Only will
		display if there is more
		than one part for a
		program.
Programs – contains all the program records that	<u> </u>	
xtvd/programs/program/@id	Field length	Unique description
	minimum 12,	identifier necessary to
	maximum 12 (e.g.	reference movies,
	MV1234560000,	shows, episodes, sports
	SH0123450000)	from the programs
		data. First two digits
		are alphanumeric and
		correspond to movies

<b>Data Location</b>	Value	Definition
		(MV), shows (SH), episodes (EP) and sports (SP).
xtvd/programs/program/series	Field length maximum 12 (e.g. SH0168270000 for an episode for program	Optional. For an episode program (begins with EP), designates the series id.
	EP0168270054).	
xtvd/programs/program/title	Field length maximum 120 (e.g. In the Heat of the Night)	Official name by which a movie, show, episode or sports event is shown.
xtvd/programs/program/subtitle	Field length maximum 150 (e.g. The Puffy Shirt; Super Bowl XXXVII: Oakland Raiders vs. Tampa Bay Buccaneers)	Optional. Descriptive title within an episode; team vs. team can be located here.
xtvd/programs/program/description	Field length maximum 255 (e.g. A tornado whisks Kansas farm girl Dorothy (Judy Garland) and her dog, Toto, to a magical land populated by odd characters (Ray Bolger) (Bert Lahr))	Optional. Word string that describes the show, episode or movie content and includes embedded actors within the description.
xtvd/programs/program/mpaaRating	Field length maximum 5. See appendix for list of values.	Optional. Rating supplied by the Motion Picture Association of America; for movies only.
xtvd/programs/program/starRating	Field length maximum 5. See appendix for list of values.	Optional. In movies, an arbitrary critical rating from ½ to 4 stars.
xtvd/programs/program/runtime	Format PThhHmmM	Optional. Actual length of time of any programming airs. Not the same as duration; for movies only.
xtvd/programs/program/year	Field length maximum 4 (e.g.	Optional. The year in which the feature film

### Zap2it Data Direct XTVD Schema Definition

<b>Data Location</b>	Value	Definition
	2001)	was released; for
		movies only.
xtvd/programs/program/showType	Field length	Optional.
	maximum 30. See	Distinguishes how a
	appendix for list of	program was originally
	values.	produced and/or
		distributed.
xtvd/programs/program/colorCode	Field length	Optional. Designates
	maximum 20. See	the color code of a
	appendix for list of	program. This field
	values.	will not be displayed
		for programs with the
		colorCode of Color.
		The code 'Color and B
		& W' indicates a
		program that contains
		both color and black
		and white footage (e.g.
		WWII special with war
		footage and veteran
		interviews).
xtvd/programs/program/originalAirDate	Format YYYY-MM-	Optional. Original air
	DD	date for the program.
xtvd/programs/program/syndicatedEpisodeNumber	Field length	Optional. Distributor-
	maximum 20 (e.g.	designated number
	809)	corresponding to an
		episode of a specific
		show.
xtvd/programs/program/advisories/advisory	Field length	Optional. Displays
	maximum 30. See	advisories for movies,
	appendix for list of	shows and episodes.
	values.	Up to six advisories
		may be specified for
		each program.
Production Crew		

<b>Data Location</b>	Value	Definition
xtvd/productionCrew/crew/@program	Field length minimum 12, maximum 12 (e.g. MV1234560000, SH0123450000)	Unique description identifier necessary to reference movies, shows, episodes, sports from the programs data. First two digits are alphanumeric and correspond to movies (MV), shows (SH), episodes (EP) and sports (SP).
xtvd/productionCrew/crew/member/role	Field length maximum 30. See appendix for list of values.	Optional. Designates cast or production crew role for a program. Up to 40 roles may be specified for each program.
xtvd/productionCrew/crew/member/givenname	Field length maximum 20 (e.g. Tom).	First name of the member listed in the cast or crew. When no first name information is available, the following will appear, <givenname xsi:nil="true"></givenname> .
xtvd/productionCrew/crew/member/surname  Genres	Field length maximum 20 (e.g. Hanks).	Last name of the member listed in the cast or crew.
xtvd/genres/programGenre/@program	Field length minimum 12, maximum 12 (e.g. MV1234560000, SH0123450000)	Unique description identifier necessary to reference movies, shows, episodes, sports from the programs data. First two digits are alphanumeric and correspond to movies (MV), shows (SH), episodes (EP) and sports (SP).
xtvd/genres/programGenre/genre/class	Field length maximum 30. See appendix for list of values.	Word or group of words that classifies a show, episode, movie or sports event. Up to six genre classes may

Data Location	Value	Definition
		be specified for each
		program.
xtvd/genres/programGenre/genre/relevance	Field length	Displays the relevance
	maximum 1. See	of each genre class.
	appendix for list of	
	values.	

# 5 Appendix

# 5.1 Lineups

# 5.1.1 xtvd/lineups/lineup/@device

Value
Cable A
Cable B
Rebuild
Device D
Non-addressable
Hamlin converter
Jerrold converter
Digital Rebuild
Pioneer converter
Cable Ready
Cable Ready Cable A
Cable Ready Cable B
Scientific-Atlanta
Digital
Zenith converter

# 5.1.2 xtvd/lineups/lineup/@type

Value	
Cable	
CableDigital	
Satellite	
LocalBroadcast	

#### 5.2 Schedules

#### 5.2.1 xtvd/schedules/schedule/@tvRating

Value		
TV-Y		
TV-Y7		
TV-G		
TV-PG		
TV-14		
TV-MA		

#### 5.2.2 xtvd/schedules/schedule/part/@number

Value				
2, 3, 4, 5	6, 7, 8	9, 10,	11,	12, 13,
14, 15				

### 5.2.3 xtvd/schedules/schedule/part/@total

Value	
2, 3, 4, 5, 6, 7, 8, 9, 10, 11,	12, 13,
14, 15	

# 5.3 Programs

# 5.3.1 xtvd/programs/program/mpaaRating

Value		
AO		
G		
NC-17		
NR		
PG		
PG-13		
R		

# 5.3.2 xtvd/programs/program/starRating

Value
-------

Value		
*		
*+		
**		
**+		
***		
***+		
****		

# 5.3.3 xtvd/programs/program/showType

Value
Limited Series
Miniseries
Paid Programming
Serial
Series
Short Film
Special

# 5.3.4 xtvd/programs/program/colorCode

Value	
B & W	
Colorized	
Color and B & W	
Color	

# 5.3.5 xtvd/programs/program/advisories/advisory

Value
Adult Situations
Adolescentes y Adultos
Adultos
Brief Nudity
Graphic Language
Graphic Violence
Language
Mild Violence
Nudity
Publico General

Value	
Rape	
Strong Sexual Content	
Violence	

#### 5.4 Production Crew

# 5.4.1 xtvd/productionCrew/crew/member/role

Value
Actor
Guest Star
Host
Director
Producer
Executive Producer
Writer

#### 5.5 Genres

# 5.5.1 xtvd/genres/genre/class

Value
Action
Adults only
Adventure
Aerobics
Agriculture
Animals
Animated
Anime
Anthology
Archery
Arm wrestling
Art
Arts/crafts
Auction
Auto
Auto racing
Aviation
Awards
Badminton
Ballet

Value
Baseball
Basketball
Beach soccer
Beach volleyball
Biathlon
Bicycle
Bicycle racing
Billiards
Biography
Boat
Boat racing
Bobsled
Bodybuilding
Bowling
Boxing
Bullfighting
Bus./financial
Canoe
Cheerleading
Children
Children-special
Children-talk
Children-music
Collectibles
Comedy
Comedy-drama
Community
Computers
Consumer
Cooking
Cricket
Crime
Crime drama
Curling
Dance
Darts
Debate
Diving
Docudrama
Documentary
Dog racing
Dog show
Dog sled
Drag racing

-
Value
Drama
Educational
Entertainment
Environment
Equestrian
Event
Exercise
Extreme
Fantasy
Fashion
Fencing
Field hockey
Figure skating
Fishing
Football
French
Fundraiser
Gaelic football
Game show
Gay/lesbian
Golf
Gymnastics
Handball
Health
History
Historical drama
Hockey
Holiday
Holiday-children
Holiday-children special
Holiday music
Holiday music special
Holiday special
Home improvement
Horror
Horse
House/garden
How-to
Hunting
Hurling
Hydroplane racing
Indoor soccer
Interview
Intl basketball
IIII UASKUUAII

### Zap2it Data Direct XTVD Schema Definition

Value
Intl hockey
Intl soccer
Kayaking
Lacrosse
Law
Luge
Martial arts
Medical
Miniseries
Motorsports
Motorcycle
Motorcycle racing
Mountain biking
Music
Music special
Music talk
Musical
Musical comedy
Mystery
Nature
News
Newsmagazine
Olympics
Opera
Outdoors
Parade
Paranormal
Parenting
Pelota vasca
Performing arts
Playoff sports
Politics
Polo
Pool
Pro wrestling
Public affairs
Racquet
Reality
Religious
Ringuette
Rodeo
Roller derby
Romance
Romance-comedy

Value
Rowing
Rugby
Running
Sailing
Science
Science fiction
Self improvement
Shooting
Shopping
Sitcom
Skateboarding
Skating
Skeleton
Skiing
Snooker
Snowboarding
Snowmobile
Soap
Soap special
Soap talk
Soccer
Softball
Spanish
Special
Speed skating
Sports event
Sports non-event
Sports talk
Squash
Standup
Sumo wrestling
Surfing
Suspense
Swimming
Table tennis
Talk
Tennis
Theater
Track/field
Triathlon
Travel
Variety
Volleyball
War

#### Zap2it Data Direct XTVD Schema Definition

Value	
Watersports	
Water polo	
Water skiing	
Weather	
Weightlifting	
Western	
Wrestling	
Yacht racing	

# 5.5.2 xtvd/genres/genre/relevance

Value	
1, 2, 3, 4, 5, 6	